

2005 Tow Vehicle Guide

The Popular Captiva series of travel trailers and fifth wheels has been designed with the new generation of tow vehicles in mind. In deciding which Coachmen is right for you, you will want to compare its weight shown in the Specification Chart to the towing limits of your tow vehicle. Because of the many variables, the process can be confusing. This Guide is provided for your convenience as a general reference. It lists the 2004 model, engine size and published maximum towing capacity. **PLEASE NOTE: This Guide does not attempt to provide all necessary information such as axle ratios, cooling systems, transmissions and any additional equipment required by the tow vehicle manufacturer to achieve the published maximum towing limits.**

Please be sure to verify your particular tow vehicle manufacturer's specifications. Your Coachmen dealer will be glad to help you with questions.

Vehicle	Engine	Tow Limit	Notes	Vehicle	Engine	Tow Limit	Notes	Vehicle	Engine	Tow Limit	Notes	Vehicle	Engine	Tow Limit	Notes
ACURA															
Acura RL	3.5L V-6	2,000		G500 CV RWd 155' WB	6.0L V-8	10,000	d, f	1500 Reg Cab RWd LB	4.3L V-6	4,900	b, f	1500 Reg Cab 4WD LB	4.8L V-8	7,000	c, e
Acura MDX	3.5L V-6	3,500		G2500 PV RWd 155' WB	6.0L V-8	7,900	c, f	1500 Reg Cab RWd LB	4.3L V-6	6,300	b, f	1500 Reg Cab 4WD LB	4.8L V-8	8,000	c, e
a- Requires surge-type or electric trailer brakes, load-distribution hitch and transmission of color. Rating may vary depending on passenger/cargo load of vehicle. b- Maximum Rated Capacity of 4,500 lb for towing boats; 3,500 lb for towing trailers.															
BMW															
BMW X3 2.5i	2.5L I-4	3,748	a	G500 CV RWd 155' WB	6.0L V-8	10,000	d, f	1500 Reg Cab RWd LB	4.3L V-6	4,900	b, f	1500 Reg Cab 4WD LB	4.8L V-8	7,000	c, e
BMW X3 3.0i	3.0L I-6	3,748	a	G2500 PV RWd 155' WB	6.0L V-8	7,900	c, f	1500 Reg Cab RWd LB	4.3L V-6	6,300	b, f	1500 Reg Cab 4WD LB	4.8L V-8	8,000	c, e
BMW X5 3.0i	3.0L I-6	5,953	a	G500 CV RWd 155' WB	6.0L V-8	10,000	d, f	1500 Reg Cab RWd LB	4.3L V-6	4,900	b, f	1500 Reg Cab 4WD LB	4.8L V-8	7,000	c, e
BMW X5 4.4i	4.4L V-8	5,953	a	G2500 PV RWd 155' WB	6.0L V-8	7,900	c, f	1500 Reg Cab RWd LB	4.3L V-6	6,300	b, f	1500 Reg Cab 4WD LB	4.8L V-8	8,000	c, e
BMW X5 4.8i	4.8L V-8	5,953	a	G500 CV RWd 155' WB	6.0L V-8	10,000	d, f	1500 Reg Cab RWd LB	4.3L V-6	4,900	b, f	1500 Reg Cab 4WD LB	4.8L V-8	7,000	c, e
a- Maximum towing rating for trailers without brakes is 1,500 lb for X3; 1,650 lb for X5															
BUICK/CADILLAC/CHEVROLET/GMC/OLDS MOBILE/PONTIAC															
GM MINIVANS															
Astro/Safari CV RWd	4.3L V-6	5,200	b, f	G2500 CV RWd 155' WB	6.0L V-8	8,100	c, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Astro/Safari CV RWd	4.3L V-6	5,700	c, f	G500 CV RWd 155' WB	6.0L V-8	10,000	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Astro/Safari PV RWd	4.3L V-6	5,400	b, f	G2500 PV RWd 155' WB	6.0L V-8	7,900	c, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Astro/Safari PV RWd	4.3L V-6	4,900	c, f	G500 PV RWd 155' WB	6.0L V-8	10,000	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Astro/Safari CV AWd	4.3L V-6	5,000	b, f	G2500 CV RWd 155' WB	6.0L V-8	7,900	c, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Astro/Safari CV AWd	4.3L V-6	5,500	c, f	G500 CV RWd 155' WB	6.0L V-8	10,000	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Astro/Safari PV AWd	4.3L V-6	5,100	c, f	G2500 PV RWd 155' WB	6.0L V-8	7,900	c, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Astro/Safari PV AWd	4.3L V-6	4,600	c, f	G500 PV RWd 155' WB	6.0L V-8	10,000	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Rendezvous RWd/AWd	All	2,000/3,500		G2500 CV RWd 155' WB	6.0L V-8	7,900	c, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Venture/Silhouette/Montana/Asizek	3.4L V-6	3,500		G500 CV RWd 155' WB	6.0L V-8	10,000	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
AVANALCHE/ESCALADE EXT															
1500 RWd	5.3L V-8	7,300	c, f	RWD	4.2L I-6	4,800	b, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
1500 RWd	5.3L V-8	8,300	d, f	RWD	4.2L I-6	5,300	c, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
1500 AWd	5.3L V-8	7,400	c, f	RWD	4.2L I-6	5,300	c, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
1500 AWd	5.3L V-8	8,200	c, f	RWD	4.2L I-6	5,800	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
1500 AWd	6.0L V-8	7,000	c, f	RWD	5.3L V-8	6,500	c, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
2500 RWd	6.0L V-8	10,400	c, f	4WD	4.2L I-6	4,700	b, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
2500 RWd	6.0L V-8	12,000	d, f	4WD	4.2L I-6	5,200	c, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
2500 AWd	6.0L V-8	10,100	c, f	4WD	4.2L I-6	5,200	c, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
2500 AWd	6.0L V-8	12,000	d, f	4WD	5.3L V-8	6,500	c, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Escalade EXT AWd	6.0L V-8	7,400	c, f	4WD	5.3L V-8	6,400	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
BLAZER															
4-door RWd	4.3L V-6	5,700	b, f	KODIAK/TOP KICK TRUCKS — AUTOMATIC TRANSMISSION				2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
4-door RWd	4.3L V-6	4,200	a, e	C4500/5500 Reg Cab Pickup Body	6.6L TD V-8	16,800	s	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
4-door RWd	4.3L V-6	4,900	c, f, p	C4500/5500 Reg Cab Pickup Body	8.1L V-8	18,750	t	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
4-door RWd	4.3L V-6	2,000	a, e, f, o	C4500/5500 Reg Cab Pickup Body	6.6L TD V-8	16,800	t	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
4-door RWd	4.3L V-6	2,000	b, e, o	C4500/5500 Crew Cab Pickup Body	8.1L V-8	19,500	t	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
2-door RWd	4.3L V-6	5,500	a, f	C4500/5500 Crew Cab Pickup Body	6.6L TD V-8	16,800	t	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
4-door AWd	4.3L V-6	8,200	c, f	C4500/5500 Crew Cab Pickup Body	8.1L V-8	19,500	t	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
4-door AWd	4.3L V-6	5,400	c, f	C4500/5500 Crew Cab Pickup Body	6.6L TD V-8	16,800	t	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
4-door AWd	4.3L V-6	3,900	b, e	C4500/5500 Reg Cab Versa Hauler	8.1L V-8	14,475	s	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
4-door AWd	4.3L V-6	4,200	c, e, p	C4500/5500 Reg Cab Versa Hauler	6.6L TD V-8	14,400	s	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
2-door AWd	4.3L V-6	5,200	b, f	C4500/5500 Reg Cab Versa Hauler	8.1L V-8	16,475	s	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
4-door AWd	4.3L V-6	5,200	c, f	C4500/5500 Reg Cab Versa Hauler	6.6L TD V-8	14,400	s	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
CADILLAC SRX															
SRX	All	3,500		C4500/5500 Crew Cab Versa Hauler	8.1L V-8	15,500	t	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
BLAZER/JIMMY															
2-Door 2WD	4.3L V-6	5,700	a, d	C4500/5500 Crew Cab Versa Hauler	6.6L TD V-8	15,420	t	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
2-Door 2WD	4.3L V-6	4,200	b, d	NOTE: Tow ratings are examples based on typical curb weights for well-equipped 128'165" wheelbase (Reg/Crew Cab) vehicle. Pickup Body and Versa Hauler examples shown are produced by a Monroe Truck Equipment.				2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Blazer Xtreme 2-Door 2WD	4.3L V-6	2,000	abd	S-10/SONOMA	4.3L V-6	5,200	f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
4-door 2WD	4.3L V-6	5,500	a, d	SIERRA/SILVERADO — MANUAL TRANSMISSION — CONVENTIONAL TOWING				2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
2-door 4WD	4.3L V-6	3,600	bd	1500 Reg Cab RWd SB	4.3L V-6	3,600	a, e	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
2-door 4WD	4.3L V-6	4,700	ae	1500 Reg Cab RWd SB	4.3L V-6	4,100	b, e	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Blazer 2R2	4.3L V-6	4,700	ae	1500 Reg Cab RWd SB	4.8L V-8	4,500	b, e	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Blazer 2R2	4.3L V-6	4,200	b, e	1500 Reg Cab RWd SB	4.8L V-8	5,100	c, e	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
4-door 4WD	4.3L V-6	5,000	ade	1500 Reg Cab RWd LB	4.8L V-8	4,300	b, e	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
CANYON/COLORADO															
Reg Cab RWd	2.8L I-4	2,000	b, e	1500 Reg Cab RWd LB	4.8L V-8	4,300	b, e	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Reg Cab RWd	2.8L I-4	2,500	c, e	1500 Reg Cab RWd LB	4.8L V-8	4,300	b, e	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Reg Cab RWd	3.5L I-5	3,500	c, e	1500 Reg Cab RWd LB	4.8L V-8	4,300	b, e	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Reg Cab RWd	3.5L I-5	3,900	c, e	1500 Reg Cab RWd LB	4.8L V-8	4,300	b, e	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Ext Cab RWd	2.8L I-4	2,200	c, e	1500 Reg Cab RWd LB	4.8L V-8	4,300	b, e	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Ext Cab RWd	3.5L I-5	3,200	b, e	1500 Reg Cab RWd LB	4.8L V-8	4,300	b, e	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Ext Cab RWd	3.5L I-5	3,600	c, e	1500 Reg Cab RWd LB	4.8L V-8	4,300	b, e	2500H Reg Cab & Chassis RWd LB	6.0L V-8	7,900	d, f	2500H Reg Cab & Chassis RWd LB	6.0L V-8	15,500	c, e, f
Reg Cab RWd	2.8L I-4	2,100	c, e	1500 Reg Cab RWd LB</											

